

Platten für Anyfeed SXM100 / ohne Struktur


| <u>Charakter</u> | <u>Artikelname</u> | <u>Artikelnummer</u> | <u>Backlight- Konform</u> | <u>ESD- Konform</u> |
|------------------|---|----------------------|-------------------------------|-------------------------|
| matt | <u>POM-C, Weiss</u> Feed plate SXM100, POM, white, flat, matt | 002-290-000 | x | |
| matt | <u>POM-C, Schwarz</u> Feed plate SXM100, POM, black, flat, matt | 003-562-000 | | |
| matt | <u>PVC, Grau</u> Feed plate SXM100, PVC, gray, flat, matt | 007-001-856 | | |
| matt | <u>ESD, Beige</u> Feed plate SXM100, ESD, beige, flat, matt | 007-001-679 | x | x |
| matt | <u>ELS, Schwarz (ESD)</u> Feed plate SXM100, ELS, black, flat, matt | 007-001-357 | | x |

Platten für Anyfeed SXM100 / Noppen, (hinten Längsrillen)

| <u>Charakter</u> | <u>Artikelname</u> | <u>Artikelnummer</u> | <u>Backlight- Konform</u> | <u>ESD- Konform</u> |
|------------------|--|----------------------|-------------------------------|-------------------------|
| | <u>POM-C, Weiss</u> | | | |
| Fein | Feed plate SXM100, POM, white, bumps, fine | 007-002-060 | x | |
| Mittel | Feed plate SXM100, POM, white, bumps, medium | 007-002-063 | x | |
| Grob | Feed plate SXM100, POM, white, bumps, coarse | 007-002-066 | x | |
| | <u>POM-C, Schwarz</u> | | | |
| Fein | Feed plate SXM100, POM, black, bumps, fine | 007-002-188 | | |
| Mittel | Feed plate SXM100, POM, black, bumps, medium | 007-002-192 | | |
| Grob | Feed plate SXM100, POM, black, bumps, coarse | 007-002-196 | | |
| | <u>PVC, Grau</u> | | | |
| Fein | Feed plate SXM100, PVC, gray, bumps, fine | 007-002-189 | | |
| Mittel | Feed plate SXM100, PVC, gray, bumps, medium | 007-002-193 | | |
| Grob | Feed plate SXM100, PVC, gray, bumps, coarse | 007-002-197 | | |
| | <u>ESD, Beige</u> | | | |
| Fein | Feed plate SXM100, ESD, beige, bumps, fine | 007-002-190 | x | x |
| Mittel | Feed plate SXM100, ESD, beige, bumps, medium | 007-002-194 | x | x |
| Grob | Feed plate SXM100, ESD, beige, bumps, coarse | 007-002-198 | x | x |
| | <u>ELS, Schwarz (ESD)</u> | | | |
| Fein | Feed plate SXM100, ELS, black, bumps, fine | 007-002-191 | | x |
| Mittel | Feed plate SXM100, ELS, black, bumps, medium | 007-002-195 | | x |
| Grob | Feed plate SXM100, ELS, black, bumps, coarse | 007-002-199 | | x |

Massangaben/Charakter

| | B2 | B | H | T | |
|--------|-----------|-----------|----------|----------|--------|
| | Noppen | Talbreite | Tiefe | Teilung | Winkel |
| Fein | 1.5 | 1.5 | 0.4 | 3 | 45 |
| Mittel | 2 | 3 | 0.6 | 5 | 45 |
| Grob | 2.5 | 5 | 0.8 | 7.5 | 45 |




Platten für Anyfeed SXM100 / Längsrillen

| <u>Charakter</u> | <u>Artikelname</u> | <u>Artikelnummer</u> | <u>Backlight- Konform</u> | <u>ESD- Konform</u> |
|------------------|--|----------------------|-------------------------------|-------------------------|
| | <u>POM-C, Weiss</u> | | | |
| Fein | Feed plate SXM100, POM, white, grooves, fine | 007-002-245 | x | |
| Mittel | Feed plate SXM100, POM, white, grooves, medium | 007-002-244 | x | |
| Grob | Feed plate SXM100, POM, white, grooves, coarse | 007-002-243 | x | |
| | <u>POM-C, Schwarz</u> | | | |
| Fein | Feed plate SXM100, POM, black, grooves, fine | 007-002-252 | | |
| Mittel | Feed plate SXM100, POM, black, grooves, medium | 007-002-253 | | |
| Grob | Feed plate SXM100, POM, black, grooves, coarse | 007-002-254 | | |
| | <u>PVC, Grau</u> | | | |
| Fein | Feed plate SXM100, PVC, gray, grooves, fine | 007-002-255 | | |
| Mittel | Feed plate SXM100, PVC, gray, grooves, medium | 007-002-256 | | |
| Grob | Feed plate SXM100, PVC, gray, grooves, coarse | 007-002-257 | | |
| | <u>ESD, Beige</u> | | | |
| Fein | Feed plate SXM100, ESD, beige, grooves, fine | 007-002-258 | x | x |
| Mittel | Feed plate SXM100, ESD, beige, grooves, medium | 007-002-259 | x | x |
| Grob | Feed plate SXM100, ESD, beige, grooves, coarse | 007-002-260 | x | x |
| | <u>ELS, Schwarz (ESD)</u> | | | |
| Fein | Feed plate SXM100, ELS, black, grooves, fine | 007-002-261 | | x |
| Mittel | Feed plate SXM100, ELS, black, grooves, medium | 007-002-262 | | x |
| Grob | Feed plate SXM100, ELS, black, grooves, coarse | 007-002-263 | | x |

Massangaben/Charakter

| | B2 | B | H | T | |
|--------|-----------|-----------|----------|----------|--------|
| | Noppen | Talbreite | Tiefe | Teilung | Winkel |
| Fein | 1.5 | 1.5 | 0.4 | 3 | 45 |
| Mittel | 2 | 3 | 0.6 | 5 | 45 |
| Grob | 2.5 | 5 | 0.8 | 7.5 | 45 |



Platten für Anyfeed SXM140 / ohne Struktur


| <u>Charakter</u> | <u>Artikelname</u> | <u>Artikelnummer</u> | <u>Backlight- Konform</u> | <u>ESD- Konform</u> |
|------------------|---|----------------------|-------------------------------|-------------------------|
| matt | <u>POM-C, Weiss</u> Feed plate SXM140, POM, white, flat, matt | 003-965-100 | x | |
| matt | <u>POM-C, Schwarz</u> Feed plate SXM140, POM, black, flat, matt | 004-931-000 | | |
| matt | <u>PVC, Grau</u> Feed plate SXM140, PVC, gray, flat, matt | 007-001-359 | | |
| matt | <u>ESD, Beige</u> Feed plate SXM140, ESD, beige, flat, matt | 007-001-012 | x | x |
| matt | <u>ELS, Schwarz (ESD)</u> Feed surface SXM140 POM C ELS blk, matt | 007-001-866 | | x |

Platten für Anyfeed SXM140 / Noppen, (hinten Längsrillen)

| <u>Charakter</u> | <u>Artikelname</u> | <u>Artikelnummer</u> | <u>Backlight- Konform</u> | <u>ESD- Konform</u> |
|------------------|--|----------------------|-------------------------------|-------------------------|
| | <u>POM-C, Weiss</u> | | | |
| Fein | Feed plate SXM140, POM, white, bumps, fine | 006-001-110 | x | |
| Mittel | Feed plate SXM140, POM, white, bumps, medium | 007-002-064 | x | |
| Grob | Feed plate SXM140, POM, white, bumps, coarse | 007-002-067 | x | |
| | <u>POM-C, Schwarz</u> | | | |
| Fein | Feed plate SXM140, POM, black, bumps, fine | 007-002-333 | | |
| Mittel | Feed plate SXM140, POM, black, bumps, medium | 007-002-334 | | |
| Grob | Feed plate SXM140, POM, black, bumps, coarse | 007-002-335 | | |
| | <u>PVC, Grau</u> | | | |
| Fein | Feed plate SXM140, PVC, gray, bumps, fine | 007-002-336 | | |
| Mittel | Feed plate SXM140, PVC, gray, bumps, medium | 007-002-337 | | |
| Grob | Feed plate SXM140, PVC, gray, bumps, coarse | 007-002-338 | | |
| | <u>ESD, Beige</u> | | | |
| Fein | Feed plate SXM140, ESD, beige, bumps, fine | 007-002-339 | x | x |
| Mittel | Feed plate SXM140, ESD, beige, bumps, medium | 007-002-340 | x | x |
| Grob | Feed plate SXM140, ESD, beige, bumps, coarse | 007-002-341 | x | x |
| | <u>ELS, Schwarz (ESD)</u> | | | |
| Fein | Feed plate SXM140, ELS, black, bumps, fine | 007-002-342 | | x |
| Mittel | Feed plate SXM140, ELS, black, bumps, medium | 007-002-343 | | x |
| Grob | Feed plate SXM140, ELS, black, bumps, coarse | 007-002-344 | | x |

Massangaben/Charakter

| | B2 | B | H | T | |
|--------|-----------|-----------|----------|----------|--------|
| | Noppen | Talbreite | Tiefe | Teilung | Winkel |
| Fein | 2 | 2 | 0.5 | 4 | 45 |
| Mittel | 2.5 | 4 | 0.7 | 6.5 | 45 |
| Grob | 3 | 6 | 0.9 | 9 | 45 |




Platten für Anyfeed SXM140 / Längsrillen

| <u>Charakter</u> | <u>Artikelname</u> | <u>Artikelnummer</u> | <u>Backlight- Konform</u> | <u>ESD- Konform</u> |
|------------------|--|----------------------|-------------------------------|-------------------------|
| | <u>POM-C, Weiss</u> | | | |
| Fein | Feed plate SXM140, POM, white, grooves, fine | 007-002-264 | x | |
| Mittel | Feed plate SXM140, POM, white, grooves, medium | 007-002-265 | x | |
| Grob | Feed plate SXM140, POM, white, grooves, coarse | 007-002-266 | x | |
| | <u>POM-C, Schwarz</u> | | | |
| Fein | Feed plate SXM140, POM, black, grooves, fine | 007-002-267 | | |
| Mittel | Feed plate SXM140, POM, black, grooves, medium | 007-002-268 | | |
| Grob | Feed plate SXM140, POM, black, grooves, coarse | 007-002-269 | | |
| | <u>PVC, Grau</u> | | | |
| Fein | Feed plate SXM140, PVC, gray, grooves, fine | 007-002-270 | | |
| Mittel | Feed plate SXM140, PVC, gray, grooves, medium | 007-002-271 | | |
| Grob | Feed plate SXM140, PVC, gray, grooves, coarse | 007-002-272 | | |
| | <u>ESD, Beige</u> | | | |
| Fein | Feed plate SXM140, ESD, beige, grooves, fine | 007-002-273 | x | x |
| Mittel | Feed plate SXM140, ESD, beige, grooves, medium | 007-002-274 | x | x |
| Grob | Feed plate SXM140, ESD, beige, grooves, coarse | 007-002-275 | x | x |
| | <u>ELS, Schwarz (ESD)</u> | | | |
| Fein | Feed plate SXM140, ELS, black, grooves, fine | 007-002-276 | | x |
| Mittel | Feed plate SXM140, ELS, black, grooves, medium | 007-002-277 | | x |
| Grob | Feed plate SXM140, ELS, black, grooves, coarse | 007-002-278 | | x |

Massangaben/Charakter

| | B2 | B | H | T | |
|--------|-----------|-----------|----------|----------|--------|
| | Noppen | Talbreite | Tiefe | Teilung | Winkel |
| Fein | 2 | 2 | 0.5 | 4 | 45 |
| Mittel | 2.5 | 4 | 0.7 | 6.5 | 45 |
| Grob | 3 | 6 | 0.9 | 9 | 45 |



Platten für Anyfeed SXM200 / ohne Struktur




| <u>Charakter</u> | <u>Artikelname</u> | <u>Artikelnummer</u> | <u>Backlight-Konform</u> | <u>ESD-Konform</u> |
|------------------|---|----------------------|--------------------------|--------------------|
| matt | <u>POM-C, Weiss</u> Feed plate SXM200 POM, white, flat, matt | 007-001-859 | x | |
| matt | <u>POM-C, Schwarz</u> Feed plate SXM200, POM, black, flat, matt | 007-001-332 | | |
| matt | <u>PVC, Grau</u> Feed plate SXM200, PVC, gray, flat, matt | 007-002-522 | | |
| matt | <u>ESD, Beige</u> Feed plate SXM200, ESD, beige , flat, matt | 007-002-523 | x | x |
| matt | <u>ELS, Schwarz (ESD)</u> Feed plate SXM200, ELS, black, flat, matt | 007-002-525 | | x |

Platten für Anyfeed SXM200 / Noppen, (hinten Längsrillen)

| <u>Charakter</u> | <u>Artikelname</u> | <u>Artikelnummer</u> | <u>Backlight- Konform</u> | <u>ESD- Konform</u> |
|------------------|--|----------------------|-------------------------------|-------------------------|
| | <u>POM-C, Weiss</u> | | | |
| Fein | Feed plate SXM200, POM, white, bumps, fine | 007-002-375 | x | |
| Mittel | Feed plate SXM200, POM, white, bumps, medium | 007-002-376 | x | |
| Grob | Feed plate SXM200, POM, white, bumps, coarse | 007-002-377 | x | |
| | <u>POM-C, Schwarz</u> | | | |
| Fein | Feed plate SXM200, POM, black, bumps, fine | 007-002-378 | | |
| Mittel | Feed plate SXM200, POM, black, bumps, medium | 007-002-379 | | |
| Grob | Feed plate SXM200, POM, black, bumps, coarse | 007-002-380 | | |
| | <u>PVC, Grau</u> | | | |
| Fein | Feed plate SXM200, PVC, gray, bumps, fine | 007-002-381 | | |
| Mittel | Feed plate SXM200, PVC, gray, bumps, medium | 007-002-382 | | |
| Grob | Feed plate SXM200, PVC, gray, bumps, coarse | 007-002-383 | | |
| | <u>ESD, Beige</u> | | | |
| Fein | Feed plate SXM200, ESD, beige, bumps, fine | 007-002-384 | x | x |
| Mittel | Feed plate SXM200, ESD, beige, bumps, medium | 007-002-385 | x | x |
| Grob | Feed plate SXM200, ESD, beige, bumps, coarse | 007-002-386 | x | x |
| | <u>ELS, Schwarz (ESD)</u> | | | |
| Fein | Feed plate SXM200, ELS, black, bumps, fine | 007-002-387 | | x |
| Mittel | Feed plate SXM200, ELS, black, bumps, medium | 007-002-388 | | x |
| Grob | Feed plate SXM200, ELS, black, bumps, coarse | 007-002-389 | | x |

Massangaben/Charakter

| | B2 | B | H | T | |
|--------|-----------|-----------|----------|----------|--------|
| | Noppen | Talbreite | Tiefe | Teilung | Winkel |
| Fein | 2 | 2 | 0.5 | 4 | 45 |
| Mittel | 2.5 | 4 | 0.7 | 6.5 | 45 |
| Grob | 3 | 6 | 0.9 | 9 | 45 |




Platten für Anyfeed SXM200 / Längsrillen

| <u>Charakter</u> | <u>Artikelname</u> | <u>Artikelnummer</u> | <u>Backlight- Konform</u> | <u>ESD- Konform</u> |
|------------------|--|----------------------|-------------------------------|-------------------------|
| | <u>POM-C, Weiss</u> | | | |
| Fein | Feed plate SXM200, POM, white, grooves, fine | 007-002-318 | x | |
| Mittel | Feed plate SXM200, POM, white, grooves, medium | 007-002-319 | x | |
| Grob | Feed plate SXM200, POM, white, grooves, coarse | 007-002-320 | x | |
| | <u>POM-C, Schwarz</u> | | | |
| Fein | Feed plate SXM200, POM, black, grooves, fine | 007-002-321 | | |
| Mittel | Feed plate SXM200, POM, black, grooves, medium | 007-002-322 | | |
| Grob | Feed plate SXM200, POM, black, grooves, coarse | 007-002-323 | | |
| | <u>PVC, Grau</u> | | | |
| Fein | Feed plate SXM200, PVC, gray, grooves, fine | 007-002-324 | | |
| Mittel | Feed plate SXM200, PVC, gray, grooves, medium | 007-002-325 | | |
| Grob | Feed plate SXM200, PVC, gray, grooves, coarse | 007-002-326 | | |
| | <u>ESD, Beige</u> | | | |
| Fein | Feed plate SXM200, ESD, beige, grooves, fine | 007-002-327 | x | x |
| Mittel | Feed plate SXM200, ESD, beige, grooves, medium | 007-002-328 | x | x |
| Grob | Feed plate SXM200, ESD, beige, grooves, coarse | 007-002-329 | x | x |
| | <u>ELS, Schwarz (ESD)</u> | | | |
| Fein | Feed plate SXM200, ELS, black, grooves, fine | 007-002-330 | | x |
| Mittel | Feed plate SXM200, ELS, black, grooves, medium | 007-002-331 | | x |
| Grob | Feed plate SXM200, ELS, black, grooves, coarse | 007-002-332 | | x |

Massangaben/Charakter

| | B2 | B | H | T | |
|--------|-----------|-----------|----------|----------|--------|
| | Noppen | Talbreite | Tiefe | Teilung | Winkel |
| Fein | 2 | 2 | 0.5 | 4 | 45 |
| Mittel | 2.5 | 4 | 0.7 | 6.5 | 45 |
| Grob | 3 | 6 | 0.9 | 9 | 45 |



Platten für Anyfeed SX240 / ohne Struktur




| <u>Charakter</u> | <u>Artikelname</u> | <u>Artikelnummer</u> | <u>Backlight- Konform</u> | <u>ESD- Konform</u> |
|------------------|--|----------------------|-------------------------------|-------------------------|
| glänzend | <u>POM-C, Weiss</u> Feed plate SX240, POM, white, flat, glossy | 001-820-000 | x | |
| matt | Feed plate SX240, POM, white, flat, matt | 007-001-712 | x | |
| | <u>POM-C, Schwarz</u> | | | |
| matt | Feed plate SX240, POM, black, flat, matt | 001-821-000 | | |
| | <u>PVC, Grau</u> | | | |
| matt | Feed plate SX240, PVC, gray, flat, matt | 005-434-000 | | |
| | <u>ESD, Beige</u> | | | |
| matt | Feed plate SX240, ESD, beige, flat, matt | 007-001-046 | x | x |
| | <u>ELS, Schwarz (ESD)</u> | | | |
| matt | Feed plate SX240, ELS, black, flat, matt | 007-001-794 | | x |

Platten für Anyfeed SX240 / Noppen, (hinten Längsrillen)

| <u>Charakter</u> | <u>Artikelname</u> | <u>Artikelnummer</u> | <u>Backlight- Konform</u> | <u>ESD- Konform</u> |
|------------------|---|----------------------|-------------------------------|-------------------------|
| | <u>POM-C, Weiss</u> | | | |
| Fein | Feed plate SX240, POM, white, bumps, fine | 007-002-061 | x | |
| Mittel | Feed plate SX240, POM, white, bumps, medium | 007-001-489 | x | |
| Grob | Feed plate SX240, POM, white, bumps, coarse | 007-002-068 | x | |
| | <u>POM-C, Schwarz</u> | | | |
| Fein | Feed plate SX240, POM, black, bumps, fine | 007-002-216 | | |
| Mittel | Feed plate SX240, POM, black, bumps, medium | 007-002-346 | | |
| Grob | Feed plate SX240, POM, black, bumps, coarse | 007-002-347 | | |
| | <u>PVC, Grau</u> | | | |
| Fein | Feed plate SX240, PVC, gray, bumps, fine | 007-002-217 | | |
| Mittel | Feed plate SX240, PVC, gray, bumps, medium | 007-002-348 | | |
| Grob | Feed plate SX240, PVC, gray, bumps, coarse | 007-002-349 | | |
| | <u>ESD, Beige</u> | | | |
| Fein | Feed plate SX240,ESD, beige, bumps, fine | 007-002-250 | x | x |
| Mittel | Feed plate SX240,ESD, beige, bumps, medium | 007-002-350 | x | x |
| Grob | Feed plate SX240,ESD, beige, bumps, coarse | 007-002-351 | x | x |
| | <u>ELS, Schwarz (ESD)</u> | | | |
| Fein | Feed plate SX240, ELS, black, bumps, fine | 007-002-251 | | x |
| Mittel | Feed plate SX240, ELS, black, bumps, medium | 007-002-352 | | x |
| Grob | Feed plate SX240, ELS, black, bumps, coarse | 007-002-353 | | x |

Massangaben/Charakter

| | B2 | B | H | T | |
|--------|-----------|-----------|----------|----------|--------|
| | Noppen | Talbreite | Tiefe | Teilung | Winkel |
| Fein | 2.5 | 2.5 | 0.7 | 5 | 45 |
| Mittel | 3.5 | 4.5 | 1 | 8 | 45 |
| Grob | 4 | 7 | 1.1 | 11 | 45 |




Platten für Anyfeed SX240 / Längsrillen

| <u>Charakter</u> | <u>Artikelname</u> | <u>Artikelnummer</u> | <u>Backlight- Konform</u> | <u>ESD- Konform</u> |
|------------------|--|----------------------|-------------------------------|-------------------------|
| | <u>POM-C, Weiss</u> | | | |
| Fein | Feed plate SXM240, POM, white, grooves, fine | 007-002-279 | x | |
| Mittel | Feed plate SXM240, POM, white, grooves, medium | 007-002-280 | x | |
| Grob | Feed plate SXM240, POM, white, grooves, coarse | 007-002-281 | x | |
| | <u>POM-C, Schwarz</u> | | | |
| Fein | Feed plate SXM240, POM, black, grooves, fine | 007-002-282 | | |
| Mittel | Feed plate SXM240, POM, black, grooves, medium | 007-002-283 | | |
| Grob | Feed plate SXM240, POM, black, grooves, coarse | 007-002-284 | | |
| | <u>PVC, Grau</u> | | | |
| Fein | Feed plate SXM240, PVC, gray, grooves, fine | 007-002-285 | | |
| Mittel | Feed plate SXM240, PVC, gray, grooves, medium | 007-002-286 | | |
| Grob | Feed plate SXM240, PVC, gray, grooves, coarse | 007-002-287 | | |
| | <u>ESD, Beige</u> | | | |
| Fein | Feed plate SXM240, ESD, beige, grooves, fine | 007-002-288 | x | x |
| Mittel | Feed plate SXM240, ESD, beige, grooves, medium | 007-002-289 | x | x |
| Grob | Feed plate SXM240, ESD, beige, grooves, coarse | 007-002-290 | x | x |
| | <u>ELS, Schwarz (ESD)</u> | | | |
| Fein | Feed plate SXM240, ELS, black, grooves, fine | 007-002-291 | | x |
| Mittel | Feed plate SXM240, ELS, black, grooves, medium | 007-002-292 | | x |
| Grob | Feed plate SXM240, ELS, black, grooves, coarse | 007-002-293 | | x |

Massangaben/Charakter

| | B2 | B | H | T | |
|--------|-----------|-----------|----------|----------|--------|
| | Notpen | Talbreite | Tiefe | Teilung | Winkel |
| Fein | 2.5 | 2.5 | 0.7 | 5 | 45 |
| Mittel | 3.5 | 4.5 | 1 | 8 | 45 |
| Grob | 4 | 7 | 1.1 | 11 | 45 |



Platten für Anyfeed SX340 / ohne Struktur


| <u>Charakter</u> | <u>Artikelname</u> | <u>Artikelnummer</u> | <u>Backlight- Konform</u> | <u>ESD- Konform</u> |
|------------------|--|----------------------|-------------------------------|-------------------------|
| glänzend | <u>POM-C, Weiss</u> Feed plate SX340, POM, white, flat, glossy | 004-439-000 | x | |
| matt | Feed plate SX340, POM, white, flat, matt | 007-001-835 | x | |
| | <u>POM-C, Schwarz</u> | | | |
| matt | Feed plate SX340, POM, black, flat, matt | 005-386-000 | | |
| | <u>PVC, Grau</u> | | | |
| matt | Feed plate SX340, PVC, gray, flat, matt | 007-001-295 | | |
| | <u>ESD, Beige</u> | | | |
| matt | Feed plate SX340, ESD, beige, flat, matt | 007-001-791 | x | x |
| | <u>ELS, Schwarz (ESD)</u> | | | |
| matt | Feed plate SX340, ELS, black, flat, matt | 007-001-795 | | x |

Platten für Anyfeed SX340 / Noppen, (hinten Längsrillen)

| <u>Charakter</u> | <u>Artikelname</u> | <u>Artikelnummer</u> | <u>Backlight- Konform</u> | <u>ESD- Konform</u> |
|------------------|---|----------------------|-------------------------------|-------------------------|
| | <u>POM-C, Weiss</u> | | | |
| Fein | Feed plate SX340, POM, white, bumps, fine | 007-002-062 | x | |
| Mittel | Feed plate SX340, POM, white, bumps, medium | 007-002-065 | x | |
| Grob | Feed plate SX340, POM, white, bumps, coarse | 007-002-069 | x | |
| | <u>POM-C, Schwarz</u> | | | |
| Fein | Feed plate SX340, POM, black, bumps, fine | 007-002-354 | | |
| Mittel | Feed plate SX340, POM, black, bumps, medium | 007-002-355 | | |
| Grob | Feed plate SX340, POM, black, bumps, coarse | 007-002-356 | | |
| | <u>PVC, Grau</u> | | | |
| Fein | Feed plate SX340, PVC, gray, bumps, fine | 007-002-357 | | |
| Mittel | Feed plate SX340, PVC, gray, bumps, medium | 007-002-358 | | |
| Grob | Feed plate SX340, PVC, gray, bumps, coarse | 007-002-359 | | |
| | <u>ESD, Beige</u> | | | |
| Fein | Feed plate SX340, ESD, beige, bumps, fine | 007-002-369 | x | x |
| Mittel | Feed plate SX340, ESD, beige, bumps, medium | 007-002-370 | x | x |
| Grob | Feed plate SX340, ESD, beige, bumps, coarse | 007-002-371 | x | x |
| | <u>ELS, Schwarz (ESD)</u> | | | |
| Fein | Feed plate SX340, ELS, black, bumps, fine | 007-002-372 | | x |
| Mittel | Feed plate SX340, ELS, black, bumps, medium | 007-002-373 | | x |
| Grob | Feed plate SX340, ELS, black, bumps, coarse | 007-002-374 | | x |

Massangaben/Charakter

| | B2 | B | H | T | |
|--------|-----------|-----------|----------|----------|--------|
| | Noppen | Talbreite | Tiefe | Teilung | Winkel |
| Fein | 3 | 3.5 | 0.8 | 6.5 | 45 |
| Mittel | 4 | 5.5 | 1 | 9.5 | 45 |
| Grob | 4.5 | 8 | 1.1 | 12.5 | 45 |



Platten für Anyfeed SX340 / Längsrillen

| <u>Charakter</u> | <u>Artikelname</u> | <u>Artikelnummer</u> | <u>Backlight- Konform</u> | <u>ESD- Konform</u> |
|------------------|--|----------------------|-------------------------------|-------------------------|
| | <u>POM-C, Weiss</u> | | | |
| Fein | Feed plate SXM340, POM, white, grooves, fine | 007-002-294 | x | |
| Mittel | Feed plate SXM340, POM, white, grooves, medium | 007-002-295 | x | |
| Grob | Feed plate SXM340, POM, white, grooves, coarse | 007-002-296 | x | |
| | <u>POM-C, Schwarz</u> | | | |
| Fein | Feed plate SXM340, POM, black, grooves, fine | 007-002-297 | | |
| Mittel | Feed plate SXM340, POM, black, grooves, medium | 007-002-298 | | |
| Grob | Feed plate SXM340, POM, black, grooves, coarse | 007-002-299 | | |
| | <u>PVC, Grau</u> | | | |
| Fein | Feed plate SXM340, PVC, gray, grooves, fine | 007-002-300 | | |
| Mittel | Feed plate SXM340, PVC, gray, grooves, medium | 007-002-301 | | |
| Grob | Feed plate SXM340, PVC, gray, grooves, coarse | 007-002-302 | | |
| | <u>ESD, Beige</u> | | | |
| Fein | Feed plate SXM340, ESD, beige, grooves, fine | 007-002-307 | x | x |
| Mittel | Feed plate SXM340, ESD, beige, grooves, medium | 007-002-308 | x | x |
| Grob | Feed plate SXM340, ESD, beige, grooves, coarse | 007-002-309 | x | x |
| | <u>ELS, Schwarz (ESD)</u> | | | |
| Fein | Feed plate SXM340, ELS, black, grooves, fine | 007-002-310 | | x |
| Mittel | Feed plate SXM340, ELS, black, grooves, medium | 007-002-311 | | x |
| Grob | Feed plate SXM340, ELS, black, grooves, coarse | 007-002-312 | | x |

Massangaben/Charakter

| | B2 | B | H | T | |
|--------|-----------|-----------|----------|----------|--------|
| | Noppen | Talbreite | Tiefe | Teilung | Winkel |
| Fein | 3 | 3.5 | 0.8 | 6.5 | 45 |
| Mittel | 4 | 5.5 | 1 | 9.5 | 45 |
| Grob | 4.5 | 8 | 1.1 | 12.5 | 45 |

