

**Feed plate for Anyfeed SXM100 / without structure**




<u>Character</u>	<u>Description</u>	<u>Item No.</u>	<u>Supports Backlight</u>	<u>ESD</u>
matt	<b><u>POM-C, white</u></b> Feed plate SXM100, POM, white, flat, matt	002-290-000	x	
matt	<b><u>POM-C, black</u></b> Feed plate SXM100, POM, black, flat, matt	003-562-000		
matt	<b><u>PVC, gray</u></b> Feed plate SXM100, PVC, gray, flat, matt	007-001-856		
matt	<b><u>ESD, beige</u></b> Feed plate SXM100, ESD, beige, flat, matt	007-001-679	x	x
matt	<b><u>ELS, black (ESD)</u></b> Feed plate SXM100, ELS, black, flat, matt	007-001-357		x

## Feed plate for Anyfeed SXM100 / Bumps, (in the back grooves)

<u>Character</u>	<u>Description</u>	<u>Item No.</u>	<u>Backlight- conformable</u>	<u>ESD</u>
	<b><u>POM-C, white</u></b>			
fine	Feed plate SXM100, POM, white, bumps, fine	007-002-060	x	
medium	Feed plate SXM100, POM, white, bumps, medium	007-002-063	x	
coarse	Feed plate SXM100, POM, white, bumps, coarse	007-002-066	x	
	<b><u>POM-C, black</u></b>			
fine	Feed plate SXM100, POM, black, bumps, fine	007-002-188		
medium	Feed plate SXM100, POM, black, bumps, medium	007-002-192		
coarse	Feed plate SXM100, POM, black, bumps, coarse	007-002-196		
	<b><u>PVC, gray</u></b>			
fine	Feed plate SXM100, PVC, gray, bumps, fine	007-002-189		
medium	Feed plate SXM100, PVC, gray, bumps, medium	007-002-193		
coarse	Feed plate SXM100, PVC, gray, bumps, coarse	007-002-197		
	<b><u>ESD, beige</u></b>			
fine	Feed plate SXM100, ESD, beige, bumps, fine	007-002-190	x	x
medium	Feed plate SXM100, ESD, beige, bumps, medium	007-002-194	x	x
coarse	Feed plate SXM100, ESD, beige, bumps, coarse	007-002-198	x	x
	<b><u>ELS, black (ESD)</u></b>			
fine	Feed plate SXM100, ELS, black, bumps, fine	007-002-191		x
medium	Feed plate SXM100, ELS, black, bumps, medium	007-002-195		x
coarse	Feed plate SXM100, ELS, black, bumps, coarse	007-002-199		x

### Dimensions

	<b>B2</b>	<b>B</b>	<b>H</b>	<b>T</b>	
	Bumps	Width	Depth	Pitch	Slope
Fine	1.5	1.5	0.4	3	45
Medium	2	3	0.6	5	45
Coarse	2.5	5	0.8	7.5	45




## Feed plate for Anyfeed SXM100 / grooves

<u>Character</u>	<u>Description</u>	<u>Item No.</u>	<u>Backlight- conformable</u>	<u>ESD</u>
	<b><u>POM-C, white</u></b>			
fine	Feed plate SXM100, POM, white, grooves, fine	007-002-245	x	
medium	Feed plate SXM100, POM, white, grooves, medium	007-002-244	x	
coarse	Feed plate SXM100, POM, white, grooves, coarse	007-002-243	x	
	<b><u>POM-C, black</u></b>			
fine	Feed plate SXM100, POM, black, grooves, fine	007-002-252		
medium	Feed plate SXM100, POM, black, grooves, medium	007-002-253		
coarse	Feed plate SXM100, POM, black, grooves, coarse	007-002-254		
	<b><u>PVC, gray</u></b>			
fine	Feed plate SXM100, PVC, gray, grooves, fine	007-002-255		
medium	Feed plate SXM100, PVC, gray, grooves, medium	007-002-256		
coarse	Feed plate SXM100, PVC, gray, grooves, coarse	007-002-257		
	<b><u>ESD, beige</u></b>			
fine	Feed plate SXM100, ESD, beige, grooves, fine	007-002-258	x	x
medium	Feed plate SXM100, ESD, beige, grooves, medium	007-002-259	x	x
coarse	Feed plate SXM100, ESD, beige, grooves, coarse	007-002-260	x	x
	<b><u>ELS, black (ESD)</u></b>			
fine	Feed plate SXM100, ELS, black, grooves, fine	007-002-261		x
medium	Feed plate SXM100, ELS, black, grooves, medium	007-002-262		x
coarse	Feed plate SXM100, ELS, black, grooves, coarse	007-002-263		x

### Dimensions

	<b>B2</b>	<b>B</b>	<b>H</b>	<b>T</b>	
	Bumps	Width	Depth	Pitch	Slope
Fine	1.5	1.5	0.4	3	45
Medium	2	3	0.6	5	45
Coarse	2.5	5	0.8	7.5	45



**Feed plate for Anyfeed SXM140 / without structure**




<u>Character</u>	<u>Description</u>	<u>Item No.</u>	<u>Supports Backlight</u>	<u>ESD</u>
matt	<b><u>POM-C, white</u></b> Feed plate SXM140, POM, white, flat, matt	003-965-100	x	
matt	<b><u>POM-C, black</u></b> Feed plate SXM140, POM, black, flat, matt	004-931-000		
matt	<b><u>PVC, gray</u></b> Feed plate SXM140, PVC, gray, flat, matt	007-001-359		
matt	<b><u>ESD, beige</u></b> Feed plate SXM140, ESD, beige, flat, matt	007-001-012	x	x
matt	<b><u>ELS, black (ESD)</u></b> Feed surface SXM140 POM C ELS blk, matt	007-001-866		x

## Feed plate for Anyfeed SXM140 / Bumps, (in the back grooves)

<u>Character</u>	<u>Description</u>	<u>Item No.</u>	<u>Backlight- conformable</u>	<u>ESD</u>
	<b><u>POM-C, white</u></b>			
fine	Feed plate SXM140, POM, white, bumps, fine	006-001-110	x	
medium	Feed plate SXM140, POM, white, bumps, medium	007-002-064	x	
coarse	Feed plate SXM140, POM, white, bumps, coarse	007-002-067	x	
	<b><u>POM-C, black</u></b>			
fine	Feed plate SXM140, POM, black, bumps, fine	007-002-333		
medium	Feed plate SXM140, POM, black, bumps, medium	007-002-334		
coarse	Feed plate SXM140, POM, black, bumps, coarse	007-002-335		
	<b><u>PVC, gray</u></b>			
fine	Feed plate SXM140, PVC, gray, bumps, fine	007-002-336		
medium	Feed plate SXM140, PVC, gray, bumps, medium	007-002-337		
coarse	Feed plate SXM140, PVC, gray, bumps, coarse	007-002-338		
	<b><u>ESD, beige</u></b>			
fine	Feed plate SXM140, ESD, beige, bumps, fine	007-002-339	x	x
medium	Feed plate SXM140, ESD, beige, bumps, medium	007-002-340	x	x
coarse	Feed plate SXM140, ESD, beige, bumps, coarse	007-002-341	x	x
	<b><u>ELS, black (ESD)</u></b>			
fine	Feed plate SXM140, ELS, black, bumps, fine	007-002-342		x
medium	Feed plate SXM140, ELS, black, bumps, medium	007-002-343		x
coarse	Feed plate SXM140, ELS, black, bumps, coarse	007-002-344		x

### Dimensions

	<b>B2</b>	<b>B</b>	<b>H</b>	<b>T</b>	
	Bumps	Width	Depth	Pitch	Slope
Fine	2	2	0.5	4	45
Medium	2.5	4	0.7	6.5	45
Coarse	3	6	0.9	9	45




## Feed plate for Anyfeed SXM140 / grooves

<u>Character</u>	<u>Description</u>	<u>Item No.</u>	<u>Backlight- conformable</u>	<u>ESD</u>
	<b><u>POM-C, white</u></b>			
fine	Feed plate SXM140, POM, white, grooves, fine	007-002-264	x	
medium	Feed plate SXM140, POM, white, grooves, medium	007-002-265	x	
coarse	Feed plate SXM140, POM, white, grooves, coarse	007-002-266	x	
	<b><u>POM-C, black</u></b>			
fine	Feed plate SXM140, POM, black, grooves, fine	007-002-267		
medium	Feed plate SXM140, POM, black, grooves, medium	007-002-268		
coarse	Feed plate SXM140, POM, black, grooves, coarse	007-002-269		
	<b><u>PVC, gray</u></b>			
fine	Feed plate SXM140, PVC, gray, grooves, fine	007-002-270		
medium	Feed plate SXM140, PVC, gray, grooves, medium	007-002-271		
coarse	Feed plate SXM140, PVC, gray, grooves, coarse	007-002-272		
	<b><u>ESD, beige</u></b>			
fine	Feed plate SXM140, ESD, beige, grooves, fine	007-002-273	x	x
medium	Feed plate SXM140, ESD, beige, grooves, medium	007-002-274	x	x
coarse	Feed plate SXM140, ESD, beige, grooves, coarse	007-002-275	x	x
	<b><u>ELS, black (ESD)</u></b>			
fine	Feed plate SXM140, ELS, black, grooves, fine	007-002-276		x
medium	Feed plate SXM140, ELS, black, grooves, medium	007-002-277		x
coarse	Feed plate SXM140, ELS, black, grooves, coarse	007-002-278		x

### Dimensions

	<b>B2</b>	<b>B</b>	<b>H</b>	<b>T</b>	
	Bumps	Width	Depth	Pitch	Slope
Fine	2	2	0.5	4	45
Medium	2.5	4	0.7	6.5	45
Coarse	3	6	0.9	9	45



**Feed plate for Anyfeed SXM200 / without structure**




<u>Character</u>	<u>Description</u>	<u>Item No.</u>	<u>Supports Backlight</u>	<u>ESD</u>
matt	<b><u>POM-C, white</u></b> Feed plate SXM200 POM, white, flat, matt	007-001-859	x	
matt	<b><u>POM-C, black</u></b> Feed plate SXM200, POM, black, flat, matt	007-001-332		
matt	<b><u>PVC, gray</u></b> Feed plate SXM200, PVC, gray, flat, matt	007-002-522		
matt	<b><u>ESD, beige</u></b> Feed plate SXM200, ESD, beige , flat, matt	007-002-523	x	x
matt	<b><u>ELS, black (ESD)</u></b> Feed plate SXM200, ELS, black, flat, matt	007-002-525		x

## Feed plate for Anyfeed SXM200 / Bumps, (in the back grooves)

<u>Character</u>	<u>Description</u>	<u>Item No.</u>	<u>Supports Backlight</u>	<u>ESD</u>
<b><u>POM-C, white</u></b>				
fine	Feed plate SXM200, POM, white, bumps, fine	007-002-375	x	
medium	Feed plate SXM200, POM, white, bumps, medium	007-002-376	x	
coarse	Feed plate SXM200, POM, white, bumps, coarse	007-002-377	x	
<b><u>POM-C, black</u></b>				
fine	Feed plate SXM200, POM, black, bumps, fine	007-002-378		
medium	Feed plate SXM200, POM, black, bumps, medium	007-002-379		
coarse	Feed plate SXM200, POM, black, bumps, coarse	007-002-380		
<b><u>PVC, gray</u></b>				
fine	Feed plate SXM200, PVC, gray, bumps, fine	007-002-381		
medium	Feed plate SXM200, PVC, gray, bumps, medium	007-002-382		
coarse	Feed plate SXM200, PVC, gray, bumps, coarse	007-002-383		
<b><u>ESD, beige</u></b>				
fine	Feed plate SXM200, ESD, beige, bumps, fine	007-002-384	x	x
medium	Feed plate SXM200, ESD, beige, bumps, medium	007-002-385	x	x
coarse	Feed plate SXM200, ESD, beige, bumps, coarse	007-002-386	x	x
<b><u>ELS, black (ESD)</u></b>				
fine	Feed plate SXM200, ELS, black, bumps, fine	007-002-387		x
medium	Feed plate SXM200, ELS, black, bumps, medium	007-002-388		x
coarse	Feed plate SXM200, ELS, black, bumps, coarse	007-002-389		x

### Dimensions

	<b>B2</b>	<b>B</b>	<b>H</b>	<b>T</b>	
	Bumps	Width	Depth	Pitch	Slope
Fine	2	2	0.5	4	45
Medium	2.5	4	0.7	6.5	45
Coarse	3	6	0.9	9	45






## Feed plate for Anyfeed SXM200 / grooves

<u>Character</u>	<u>Description</u>	<u>Item No.</u>	<u>Supports Backlight</u>	<u>ESD</u>
	<b><u>POM-C, white</u></b>			
fine	Feed plate SXM200, POM, white, grooves, fine	007-002-318	x	
medium	Feed plate SXM200, POM, white, grooves, medium	007-002-319	x	
coarse	Feed plate SXM200, POM, white, grooves, coarse	007-002-320	x	
	<b><u>POM-C, black</u></b>			
fine	Feed plate SXM200, POM, black, grooves, fine	007-002-321		
medium	Feed plate SXM200, POM, black, grooves, medium	007-002-322		
coarse	Feed plate SXM200, POM, black, grooves, coarse	007-002-323		
	<b><u>PVC, gray</u></b>			
fine	Feed plate SXM200, PVC, gray, grooves, fine	007-002-324		
medium	Feed plate SXM200, PVC, gray, grooves, medium	007-002-325		
coarse	Feed plate SXM200, PVC, gray, grooves, coarse	007-002-326		
	<b><u>ESD, beige</u></b>			
fine	Feed plate SXM200, ESD, beige, grooves, fine	007-002-327	x	x
medium	Feed plate SXM200, ESD, beige, grooves, medium	007-002-328	x	x
coarse	Feed plate SXM200, ESD, beige, grooves, coarse	007-002-329	x	x
	<b><u>ELS, black (ESD)</u></b>			
fine	Feed plate SXM200, ELS, black, grooves, fine	007-002-330		x
medium	Feed plate SXM200, ELS, black, grooves, medium	007-002-331		x
coarse	Feed plate SXM200, ELS, black, grooves, coarse	007-002-332		x

### Dimensions

	<b>B2</b>	<b>B</b>	<b>H</b>	<b>T</b>	
	Bumps	Width	Depth	Pitch	Slope
Fine	2	2	0.5	4	45
Medium	2.5	4	0.7	6.5	45
Coarse	3	6	0.9	9	45



**Feed plate for Anyfeed SX240 / without structure**




<u>Character</u>	<u>Description</u>	<u>Item No.</u>	<u>Supports Backlight</u>	<u>ESD</u>
glossy	<b><u>POM-C, white</u></b> Feed plate SX240, POM, white, flat, glossy	001-820-000	x	
matt	Feed plate SX240, POM, white, flat, matt	007-001-712	x	
	<b><u>POM-C, black</u></b>			
matt	Feed plate SX240, POM, black, flat, matt	001-821-000		
	<b><u>PVC, gray</u></b>			
matt	Feed plate SX240, PVC, gray, flat, matt	005-434-000		
	<b><u>ESD, beige</u></b>			
matt	Feed plate SX240, ESD, beige, flat, matt	007-001-046	x	x
	<b><u>ELS, black (ESD)</u></b>			
matt	Feed plate SX240, ELS, black, flat, matt	007-001-794		x

## Feed plate for Anyfeed SX240 / Bumps, (in the back grooves)

<u>Character</u>	<u>Description</u>	<u>Item No.</u>	<u>Backlight- conformable</u>	<u>ESD</u>
	<b><u>POM-C, white</u></b>			
fine	Feed plate SX240, POM, white, bumps, fine	007-002-061	x	
medium	Feed plate SX240, POM, white, bumps, medium	007-001-489	x	
coarse	Feed plate SX240, POM, white, bumps, coarse	007-002-068	x	
	<b><u>POM-C, black</u></b>			
fine	Feed plate SX240, POM, black, bumps, fine	007-002-216		
medium	Feed plate SX240, POM, black, bumps, medium	007-002-346		
coarse	Feed plate SX240, POM, black, bumps, coarse	007-002-347		
	<b><u>PVC, gray</u></b>			
fine	Feed plate SX240, PVC, gray, bumps, fine	007-002-217		
medium	Feed plate SX240, PVC, gray, bumps, medium	007-002-348		
coarse	Feed plate SX240, PVC, gray, bumps, coarse	007-002-349		
	<b><u>ESD, beige</u></b>			
fine	Feed plate SX240,ESD, beige, bumps, fine	007-002-250	x	x
medium	Feed plate SX240,ESD, beige, bumps, medium	007-002-350	x	x
coarse	Feed plate SX240,ESD, beige, bumps, coarse	007-002-351	x	x
	<b><u>ELS, black (ESD)</u></b>			
fine	Feed plate SX240, ELS, black, bumps, fine	007-002-251		x
medium	Feed plate SX240, ELS, black, bumps, medium	007-002-352		x
coarse	Feed plate SX240, ELS, black, bumps, coarse	007-002-353		x

### Dimensions

	<b>B2</b>	<b>B</b>	<b>H</b>	<b>T</b>	
	Bumps	Width	Depth	Pitch	Slope
Fine	2.5	2.5	0.7	5	45
Medium	3.5	4.5	1	8	45
Coarse	4	7	1.1	11	45




## Feed plate for Anyfeed SX240 / grooves

<u>Character</u>	<u>Description</u>	<u>Item No.</u>	<u>Backlight- conformable</u>	<u>ESD</u>
	<b><u>POM-C, white</u></b>			
fine	Feed plate SXM240, POM, white, grooves, fine	007-002-279	x	
medium	Feed plate SXM240, POM, white, grooves, medium	007-002-280	x	
coarse	Feed plate SXM240, POM, white, grooves, coarse	007-002-281	x	
	<b><u>POM-C, black</u></b>			
fine	Feed plate SXM240, POM, black, grooves, fine	007-002-282		
medium	Feed plate SXM240, POM, black, grooves, medium	007-002-283		
coarse	Feed plate SXM240, POM, black, grooves, coarse	007-002-284		
	<b><u>PVC, gray</u></b>			
fine	Feed plate SXM240, PVC, gray, grooves, fine	007-002-285		
medium	Feed plate SXM240, PVC, gray, grooves, medium	007-002-286		
coarse	Feed plate SXM240, PVC, gray, grooves, coarse	007-002-287		
	<b><u>ESD, beige</u></b>			
fine	Feed plate SXM240, ESD, beige, grooves, fine	007-002-288	x	x
medium	Feed plate SXM240, ESD, beige, grooves, medium	007-002-289	x	x
coarse	Feed plate SXM240, ESD, beige, grooves, coarse	007-002-290	x	x
	<b><u>ELS, black (ESD)</u></b>			
fine	Feed plate SXM240, ELS, black, grooves, fine	007-002-291		x
medium	Feed plate SXM240, ELS, black, grooves, medium	007-002-292		x
coarse	Feed plate SXM240, ELS, black, grooves, coarse	007-002-293		x

### Dimensions

	<b>B2</b>	<b>B</b>	<b>H</b>	<b>T</b>	
	Bumps	Width	Depth	Pitch	Slope
Fine	2.5	2.5	0.7	5	45
Medium	3.5	4.5	1	8	45
Coarse	4	7	1.1	11	45



**Feed plate for Anyfeed SX340 / without structure**




<u>Character</u>	<u>Description</u>	<u>Item No.</u>	<u>Supports Backlight</u>	<u>ESD</u>
glossy	<b><u>POM-C, white</u></b> Feed plate SX340, POM, white, flat, glossy	004-439-000	x	
matt	Feed plate SX340, POM, white, flat, matt	007-001-835	x	
	<b><u>POM-C, black</u></b>			
matt	Feed plate SX340, POM, black, flat, matt	005-386-000		
	<b><u>PVC, gray</u></b>			
matt	Feed plate SX340, PVC, gray, flat, matt	007-001-295		
	<b><u>ESD, beige</u></b>			
matt	Feed plate SX340, ESD, beige, flat, matt	007-001-791	x	x
	<b><u>ELS, black (ESD)</u></b>			
matt	Feed plate SX340, ELS, black, flat, matt	007-001-795		x

## Feed plate for Anyfeed SX340 / Bumps, (in the back grooves)

<u>Character</u>	<u>Description</u>	<u>Item No.</u>	<u>Backlight- conformable</u>	<u>ESD</u>
	<b><u>POM-C, white</u></b>			
fine	Feed plate SX340, POM, white, bumps, fine	007-002-062	x	
medium	Feed plate SX340, POM, white, bumps, medium	007-002-065	x	
coarse	Feed plate SX340, POM, white, bumps, coarse	007-002-069	x	
	<b><u>POM-C, black</u></b>			
fine	Feed plate SX340, POM, black, bumps, fine	007-002-354		
medium	Feed plate SX340, POM, black, bumps, medium	007-002-355		
coarse	Feed plate SX340, POM, black, bumps, coarse	007-002-356		
	<b><u>PVC, gray</u></b>			
fine	Feed plate SX340, PVC, gray, bumps, fine	007-002-357		
medium	Feed plate SX340, PVC, gray, bumps, medium	007-002-358		
coarse	Feed plate SX340, PVC, gray, bumps, coarse	007-002-359		
	<b><u>ESD, beige</u></b>			
fine	Feed plate SX340, ESD, beige, bumps, fine	007-002-369	x	x
medium	Feed plate SX340, ESD, beige, bumps, medium	007-002-370	x	x
coarse	Feed plate SX340, ESD, beige, bumps, coarse	007-002-371	x	x
	<b><u>ELS, black (ESD)</u></b>			
fine	Feed plate SX340, ELS, black, bumps, fine	007-002-372		x
medium	Feed plate SX340, ELS, black, bumps, medium	007-002-373		x
coarse	Feed plate SX340, ELS, black, bumps, coarse	007-002-374		x

### Dimensions

	<b>B2</b>	<b>B</b>	<b>H</b>	<b>T</b>	
	Bumps	Width	Depth	Pitch	Slope
Fine	3	3.5	0.8	6.5	45
Medium	4	5.5	1	9.5	45
Coarse	4.5	8	1.1	12.5	45



## Feed plate for Anyfeed SX340 / grooves

<u>Character</u>	<u>Description</u>	<u>Item No.</u>	<u>Supports Backlight</u>	<u>ESD</u>
	<b><u>POM-C, white</u></b>			
fine	Feed plate SXM340, POM, white, grooves, fine	007-002-294	x	
medium	Feed plate SXM340, POM, white, grooves, medium	007-002-295	x	
coarse	Feed plate SXM340, POM, white, grooves, coarse	007-002-296	x	
	<b><u>POM-C, black</u></b>			
fine	Feed plate SXM340, POM, black, grooves, fine	007-002-297		
medium	Feed plate SXM340, POM, black, grooves, medium	007-002-298		
coarse	Feed plate SXM340, POM, black, grooves, coarse	007-002-299		
	<b><u>PVC, gray</u></b>			
fine	Feed plate SXM340, PVC, gray, grooves, fine	007-002-300		
medium	Feed plate SXM340, PVC, gray, grooves, medium	007-002-301		
coarse	Feed plate SXM340, PVC, gray, grooves, coarse	007-002-302		
	<b><u>ESD, beige</u></b>			
fine	Feed plate SXM340, ESD, beige, grooves, fine	007-002-307	x	x
medium	Feed plate SXM340, ESD, beige, grooves, medium	007-002-308	x	x
coarse	Feed plate SXM340, ESD, beige, grooves, coarse	007-002-309	x	x
	<b><u>ELS, black (ESD)</u></b>			
fine	Feed plate SXM340, ELS, black, grooves, fine	007-002-310		x
medium	Feed plate SXM340, ELS, black, grooves, medium	007-002-311		x
coarse	Feed plate SXM340, ELS, black, grooves, coarse	007-002-312		x

### Dimensions

	<b>B2</b>	<b>B</b>	<b>H</b>	<b>T</b>	
	Bumps	Width	Depth	Pitch	Slope
Fine	3	3.5	0.8	6.5	45
Medium	4	5.5	1	9.5	45
Coarse	4.5	8	1.1	12.5	45

